

ResourceCostService

Put some useful description here ...

Version: 1

BasePath: /int/ifsapplications/projection/v1/ResourceCostService.svc

All rights reserved

<http://apache.org/licenses/LICENSE-2.0.html>

Access

1. HTTP Basic Authentication

Methods

[[Jump to Models](#)]

Table of Contents

[ReferenceResourceCostQuery](#)

- [GET /Reference_ResourceCostQuery](#)

[ResourceCost](#)

- [GET /ResourceCost](#)

ReferenceResourceCostQuery

GET /Reference_ResourceCostQuery

[Up](#)

Get entities from Reference_ResourceCostQuery ([referenceResourceCostQueryGet](#))

Query parameters

\$top (optional)

Query Parameter – Show only the first n items, see http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec_SystemQueryOptiontop>OData Paging - Top

\$skip (optional)

Query Parameter – Skip the first n items, see http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec_SystemQueryOptionskip>OData Paging - Skip

\$count (optional)

Query Parameter – Include count of items, see http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec_SystemQueryOptioncount>OData Count

\$filter (optional)

Query Parameter – Filter items by property values, see http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec_SystemQueryOptionfilter>OData Filtering

\$orderby (optional)

Query Parameter – Order items by property values, see http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec_SystemQueryOptionorderby>OData Sorting

\$select (optional)

Query Parameter – Order items by property values, see http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec_SystemQueryOptionorderby>OData Sorting

Return type

[inline response 200](#)

Example data

Content-Type: application/json

```

{
  "value" : [ {
    "Company" : "It is a Text",
    "ResourceId" : "It is a Text",
    "ResourceParentSeq" : 1,
    "ValidTo" : "2019-10-10",
    "CostValue" : 1,
    "ValidFrom" : "2019-10-10",
    "luname" : "It is a Text",
    "ResourceCostSeq" : 1,
    "ResourceSeq" : 1
  }, {
    "Company" : "It is a Text",
    "ResourceId" : "It is a Text",
    "ResourceParentSeq" : 1,
    "ValidTo" : "2019-10-10",
    "CostValue" : 1,
    "ValidFrom" : "2019-10-10",
    "luname" : "It is a Text",
    "ResourceCostSeq" : 1,
    "ResourceSeq" : 1
  } ]
}

```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json
- text/plain

Responses

200

response body for entity array ResourceCostQuery [inline response 200](#)

202

Accepted [String](#)

204

No Content [String](#)

403

Forbidden [String](#)

404

Not found [String](#)

ResourceCost

GET /ResourceCost

Up

Get entities from ResourceCost (**resourceCostGet**)

Query parameters

\$top (optional)

Query Parameter – Show only the first n items, see http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec_SystemQueryOptiontop>OData Paging - Top

\$skip (optional)

Query Parameter – Skip the first n items, see http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec_SystemQueryOptionskip>OData Paging - Skip

\$count (optional)

Query Parameter – Include count of items, see http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec_SystemQueryOptioncount>OData Count

\$filter (optional)

Query Parameter – Filter items by property values, see http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec_SystemQueryOptionfilter>OData Filtering

\$orderby (optional)

Query Parameter – Order items by property values, see OData Sorting

\$select (optional)

Query Parameter – Order items by property values, see OData Sorting

Return type

[inline response 200](#)

Example data

Content-Type: application/json

```
{
  "value" : [ {
    "Company" : "It is a Text",
    "ResourceId" : "It is a Text",
    "ResourceParentSeq" : 1,
    "ValidTo" : "2019-10-10",
    "CostValue" : 1,
    "ValidFrom" : "2019-10-10",
    "luname" : "It is a Text",
    "ResourceCostSeq" : 1,
    "ResourceSeq" : 1
  }, {
    "Company" : "It is a Text",
    "ResourceId" : "It is a Text",
    "ResourceParentSeq" : 1,
    "ValidTo" : "2019-10-10",
    "CostValue" : 1,
    "ValidFrom" : "2019-10-10",
    "luname" : "It is a Text",
    "ResourceCostSeq" : 1,
    "ResourceSeq" : 1
  } ]
}
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json
- text/plain

Responses

200

response body for entity array ResourceCostQuery [inline response 200](#)

202

Accepted [String](#)

204

No Content [String](#)

403

Forbidden [String](#)

404

Not found [String](#)

Models

[[Jump to Methods](#)]

Table of Contents

1. [ConfigEntityDec](#)
2. [EntityDec](#)
3. [FndDynamicAssistSetup](#)
4. [FndDynamicAssistStep](#)

5. [FndDynamicCommandDef](#)
6. [FndDynamicNextStep](#)
7. [ResourceCost](#)
8. [ResourceCost-Insert - ResourceCost for insert](#)
9. [ResourceCost-Update - ResourceCost for create](#)
10. [ResourceCostQuery](#)
11. [ResourceCostQuery-Insert - ResourceCostQuery for insert](#)
12. [ResourceCostQuery-Update - ResourceCostQuery for create](#)
13. [StreamInfoRec](#)
14. [inline_response_200](#)

ConfigEntityDec

[Up](#)

ETag (optional)

[String](#)

example: It is a Text

Info (optional)

[String](#)

example: It is a Text

Attr (optional)

[String](#)

example: It is a Text

EntityDec

[Up](#)

ETag (optional)

[String](#)

example: It is a Text

Info (optional)

[String](#)

example: It is a Text

Attr (optional)

[String](#)

example: It is a Text

FndDynamicAssistSetup

[Up](#)

Label (optional)

[String](#)

example: It is a Text

Description (optional)

[String](#)

example: It is a Text

Entity (optional)

[String](#)

example: It is a Text

InitMetaFunction (optional)

[String](#)

example: It is a Text

StepsMetaFunction (optional)

[String](#)

example: It is a Text

FinishMetaFunction (optional)

[String](#)

example: It is a Text

NextStepFunction (optional)

[String](#)

example: It is a Text

NumberOfSteps (optional)

[BigDecimal](#)

example: 1

StartStep (optional)

[BigDecimal](#)

example: 1

FndDynamicAssistStep

[Up](#)

Label (optional)

[String](#)

example: It is a Text

StepLabel (optional)

[String](#)

example: It is a Text

Entity (optional)

[String](#)

example: It is a Text

Description (optional)

[String](#)

example: It is a Text

Name (optional)

[String](#)

example: It is a Text

Datatype (optional)

[String](#)

example: It is a Text

ControlType (optional)

[String](#)

example: It is a Text

MultiLine (optional)

[Boolean](#)

example: true

BindAttribute (optional)

[String](#)

example: It is a Text

BindAttributeLabel (optional)

[String](#)

example: It is a Text

SaveAction (optional)

[String](#)

example: It is a Text

SaveActionParameters (optional)

[String](#)

example: It is a Text

ProjectionName (optional)

[String](#)

example: It is a Text

DefaultValue (optional)

[String](#)

example: It is a Text

Required (optional)

[Boolean](#)

example: true

Enumeration (optional)

[String](#)

example: It is a Text

Reference (optional)

[String](#)

example: It is a Text

Visible (optional)

[Boolean](#)

example: true

Enabled (optional)

[Boolean](#)

example: true

RemarkNeeded (optional)

[Boolean](#)

example: true

RemarkAttribute (optional)

[String](#)

example: It is a Text

RemarkAttributeLabel (optional)

[String](#)

example: It is a Text

TerminateAllowed (optional)

[Boolean](#)

example: true

DynamicLovOptions (optional)

[String](#)

example: It is a Text

FinishEnabled (optional)

[Boolean](#)

example: true

Editable (optional)

[Boolean](#)

example: true

DefaultClobValue (optional)

[String](#)

BlobUploadCommand (optional)

[String](#)

example: It is a Text

PreviousStepAction (optional)

[String](#)

example: It is a Text

PreviousActionParameters (optional)

[String](#)

example: It is a Text

FndDynamicCommandDef

[Up](#)

Method (optional)

[String](#)

example: It is a Text

ArgName (optional)

[String](#)

example: It is a Text

ArgValue (optional)

[String](#)

example: It is a Text

Result (optional)

[String](#)

example: It is a Text

Assign (optional)

[String](#)

example: It is a Text

Next (optional)

[String](#)

example: It is a Text

Baund (optional)

[Boolean](#)

example: true

Name (optional)

[String](#)

example: It is a Text

Projection (optional)

[String](#)

example: It is a Text

Params (optional)

[String](#)

example: It is a Text

FndDynamicNextStep

[Up](#)

NextStep (optional)

[BigDecimal](#)

example: 1

DefaultValue (optional)

[String](#)

example: It is a Text

TerminateInfo (optional)

[String](#)

example: It is a Text

ResourceCost

[Up](#)

ETag (optional)

[String](#)

example: It is a Text

lname (optional)

[String](#)

example: It is a Text

keyref (optional)

[String](#)

example: It is a Text

Objgrants (optional)

[String](#)

example: It is a Text

ResourceCostSeq (optional)

[BigDecimal](#)

example: 1

ResourceParentSeq (optional)

[BigDecimal](#)

example: 1

ResourceSeq (optional)

[BigDecimal](#)

example: 1

Company (optional)

[String](#)

example: It is a Text

Site (optional)

[String](#)

example: It is a Text

CostValue (optional)

[BigDecimal](#)

example: 1

ValidFrom (optional)

[String](#)

example: 2019-10-10

ValidTo (optional)

[String](#)

example: 2019-10-10

ResourceCost-Insert - ResourceCost for insert

[Up](#)

ResourceCostSeq (optional)

[BigDecimal](#)

example: 1

ResourceParentSeq (optional)

[BigDecimal](#)

example: 1

ResourceSeq (optional)

[BigDecimal](#)

example: 1

Company (optional)

[String](#)

example: It is a Text

Site (optional)

[String](#)

example: It is a Text

CostValue (optional)

[BigDecimal](#)

example: 1

ValidFrom (optional)

[String](#)

example: 2019-10-10

ValidTo (optional)

[String](#)

example: 2019-10-10

ResourceCost-Update - ResourceCost for create

[Up](#)

ResourceParentSeq (optional)

[BigDecimal](#)

example: 1

ResourceSeq (optional)

[BigDecimal](#)

example: 1

Company (optional)

[String](#)

example: It is a Text

Site (optional)

[String](#)

example: It is a Text

CostValue (optional)

[BigDecimal](#)

example: 1

ValidFrom (optional)

[String](#)

example: 2019-10-10

ValidTo (optional)

[String](#)

example: 2019-10-10

luname (optional)

[String](#)

example: It is a Text

ResourceParentSeq (optional)

[BigDecimal](#)

example: 1

ResourceSeq (optional)

[BigDecimal](#)

example: 1

ResourceId (optional)

[String](#)

example: It is a Text

Company (optional)

[String](#)

example: It is a Text

CostValue (optional)

[BigDecimal](#)

example: 1

ValidFrom (optional)

[String](#)

example: 2019-10-10

ValidTo (optional)

[String](#)

example: 2019-10-10

ResourceCostSeq (optional)

[BigDecimal](#)

example: 1

ResourceCostQuery-Insert - ResourceCostQuery for insert

ResourceParentSeq (optional)

[BigDecimal](#)

example: 1

ResourceSeq (optional)

[BigDecimal](#)

example: 1

ResourceId (optional)

[String](#)

example: It is a Text

Company (optional)

[String](#)

example: It is a Text

CostValue (optional)

[BigDecimal](#)

example: 1

ValidFrom (optional)

[String](#)

example: 2019-10-10

ValidTo (optional)

[String](#)

example: 2019-10-10

ResourceCostSeq (optional)

[BigDecimal](#)

example: 1

ResourceCostQuery-Update - ResourceCostQuery for create

StreamInfoRec

[Up](#)

FileName (optional)

[String](#)

example: It is a Text

MimeType (optional)

[String](#)

example: It is a Text

inline_response_200

[Up](#)

value (optional)

[array\[ResourceCostQuery\]](#)